تقرير معايير جودة الخدمة لشركة الاتصالات السعودية

Report on STC

Quality of Service Indicators





		General Key Performance Indicat	ors	·	•	•		
KPI name	Measurement	KPI value					Target value for quarter	
	Unit	Required Statistics and description	4th month	5th month	6th month	2nd Quarter	l larget value for quarter	
		fastest 50 % of orders are completed (in days)	0.5	0.1	0	0.2		
Supply Time		fastest 90 % of orders are completed (in days)	1	0.6	0.6	0.7	7 days for 90% of requests	
	Time	fastest 95 % of orders are completed (in days)	1.2	0.8	0.8	0.9		
		fastest 99 % of orders are completed (in days)	1.6	1	1	1.2		
Fault Rate	Percentage %	percentage of fault reports per fixed access line	3,35%	3.50%	3.98%	3.61%		
	Number	average number of fixed access lines	1,482,143	1,469,456	1,453,312	1,468,304	< 5%	
Fault Repair Time	Number	fastest 80 % of repairing valid faults on fixed access lines(in hours)	10.16	11.01	12.91	11.36	Within 24 hours for 90% of faults	
	Time	fastest 90 % of repairing valid faults on fixed access lines (in hours)	13.88	15.73	17.98	15.86		
	1	fastest 95 % of repairing valid faults on fixed access lines(in hours)	20.17	23.34	28.23	23.91		
		The average time to respond to requests received through electronic channels, including e-					within 60 sec for 85% of voice calls	
Response Time for		mail, social media and others (in hours)	0:12:43	0:05:51	0:06:37	0:06:49		
Reply to Requests	Time	The average time to respond to requests received through voice calls (in seconds)	0:00:07	0:00:07	0:00:40	0:00:20		
reply to requests		Time to respond to the fastest 85% of requests received through voice calls (in seconds)	0.00	0.00	0.00	0.00		
Key Performance Indicators Applied on Fixed Networks								
	Measurement	KPI value						
KPI name	method	D 1 10: 01:01					Target value for quarter	
	method	Required Statistics and description	4th month	5th month	6th month	2nd Quarter		
	Percentage %	unsuccessful calls for national calls	0.382%	0.248%	0.292%	0.307%		
Unsuccessful Call Ratio		unsuccessful calls for international calls	0.367%	0.280%	0.196%	0.281%	< 1%	
	Number	Total number of national calls	62,024,801	66,267,340	66,188,077	64,826,739		
		Total number of International calls	3,054,079	3,079,662	3,142,495	3,092,079		
Dropped Call Rate	Percentage %	dropped calls, calculated from all the calls in the period	0.003%	0.003%	0.004%	0.003%	< 1%	
	Time	The mean value of call setup time for national calls (in seconds)			3,183	3,067 4.38		
		The time in which the fastest 95 % of national calls are set-up (in seconds)	2,982					
		The time which the fastest 99% of national calls are set-up (in seconds)					95 % in < 7 sec;	
Call Setup Time		The mean value of call setup time for international calls (in seconds)					ĺ	
_		The time which the fastest 95 % of international calls are set-up (in seconds)	4.35				99% in <10 sec	
		The time which the fastest 99 % of international calls are set-up (in seconds)	<b>60.004.004</b>			< 4.00 < <b>2</b> 00	-	
	Number	The total number of national calls	62,024,801	66,267,340	66,188,077	64,826,739		
		The total Number of international calls	3,054,079	3,079,662	3,142,495	3,092,079		
Speech Connection Quality	Mean Opinion Score(MOS)	This value is obtained through special tool that analyzes the sound after it is transferred between the two ends of the connection	4.13	4.17	4.16	4.15	> 3,75 MOS	
		Key Performance Indicators Applied on Mo	bile Netw	orks				
		A. OSS Counters Measurments	5					
KPI name	Measurement	KPI value	Target value for sweets:					
	method	Required Statistics and description	4th month	5th month	6th month	2nd Quarter	Target value for quarter	
Unsuccessful Call Ratio	Percentage %	Unsuccessful calls, calculated from all the call attempts in the period	0.16%	0.15%	0.16%	0.16%	< 1%	
Dropped Call Ratio	Percentage %	dropped calls, calculated from all the calls in the period	0.22%	0.22%	0.24%	0.23%	< 1%	
Call Setup Time		The mean value of call setup time (in seconds)	4.72	4.68	4.56	4.65	95 % in < 7 sec;	
	Time	The time which the fastest 95 % of calls are set-up (in seconds)	4.52	4.48	4.36	4.45		
		The time which the fastest 99 % of calls are set-up (in seconds)	4.71	4.67	4.56	4.65		
		The time when the hastest >> 70 or early the set up (in seconds)					99% in <10 sec	

	K	ey Performa	nce Indicators Applied to Internet Ac	ccess (Fiber)		
Package	KPI name	Measurement	KPI value		_ Target value for quarter	
		method	Required Statistics and description	Q2	<b>9</b> 11 11 1 <b>4</b> 11111	
		Mbps	The highest 95 % of download speed	100.94		
			The lowest 5 % of download speed	30.15		
			The mean value of download speed	97.38		
			The median value of download speed	108.28		
	Data Transmission Speed		The standard deviation of download speed	47.88	None	
MB			The highest 95 % of upload speed	30.89	None	
≥			The lowest 5 % of upload speed	4.20		
100			The mean value of upload speed	29.55		
10			The median value of upload speed	21.65		
			The standard deviation of upload speed	30.98		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10-3}$ )	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	18.29	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	101.96		
	Data Transmission Speed	Mbps	The highest 95 % of download speed	185.54	None	
			The lowest 5 % of download speed	50.73		
			The mean value of download speed	178.77		
			The median value of download speed	200.9		
			The standard deviation of download speed	85.67		
<b>1</b> B			The highest 95 % of upload speed	51.19		
2			The lowest 5 % of upload speed	5.95		
200 MB			The mean value of upload speed	48.92		
			The median value of upload speed	40.13		
			The standard deviation of upload speed	41.95		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x <sup>10-3</sup> )	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	14.62	None	
	transmission time)	IIIK	The standard deviation of the delay (jitter) (in milliseconds)	83.74	Tione	

	Ke	y Performan	ce Indicators Applied to Internet Acc	eess (Copper)		
Package	KPI name	Measurement	KPI value	KPI value		
		method	Required Statistics and description	Q2	Target value for quarte	
		Mbps	The highest 95 % of download speed	6.03		
			The lowest 5 % of download speed	0.64		
			The mean value of download speed	5.76		
			The median value of download speed	6.14		
	D-4- T		The standard deviation of download speed	2.87	None	
8	Data Transmission Speed		The highest 95 % of upload speed	0.72	None	
<b>S</b>			The lowest 5 % of upload speed	0.04		
10 MB			The mean value of upload speed	0.69		
<b>H</b>			The median value of upload speed	0.35		
			The standard deviation of upload speed	3.20		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10-3}$ )	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	71.11	None	
	transmission time)	Time	The standard deviation of the delay (jitter) (in milliseconds)	238.52		
	Data Transmission Speed	Mbps	The highest 95 % of download speed	8.72	None	
			The lowest 5 % of download speed	0.81		
			The mean value of download speed	8.32		
			The median value of download speed	8.1		
			The standard deviation of download speed	4.53		
Ω			The highest 95 % of upload speed	0.96		
Σ			The lowest 5 % of upload speed	0.05		
20 MB			The mean value of upload speed	0.92		
			The median value of upload speed	0.51		
			The standard deviation of upload speed	3.46		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10-3}$ )	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	64.54	None	
	transmission time)	THIC	The standard deviation of the delay (jitter) (in milliseconds)	251.16	TOIR	

## Shukran!



